

## Safety Data Sheet

### Section 1: Identification of the material and the Supplier

<b>Product identifier</b>	<b>IPS d.Sign Margin Build-Up Liquid</b>
Product use	Auxiliary for manufacture of dental prothesis
<b>Distributor information</b>	
Company identification	<b>Ivoclar Vivadent (NZ) Ltd</b>
Address	12 Omega Street, Rosedale, Auckland, New Zealand
Telephone Number	0508 486 252
Emergencies within New Zealand	<b>0800 764 766 (National Poison Control Centre)</b>

### Section 2: Hazards Identification

Classification of the substance or mixture:	
Classification according to Directive 67/548/EEC or Directive 1999/45/EC	Not applicable.
Information concerning particular hazards for human and environment	The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
Classification system	The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
Label elements:	
Labelling according to EU guidelines	The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).
Other hazards:	
Results of PBT and vPvB assessment:	
PBT	Not applicable.
vPvB	Not applicable.

### Section 3: Composition/Information on Ingredients

Chemical characterization	Mixtures.
Description	Mixture substances listed below with non-hazardous additions.
Dangerous components	Void

### Section 4: First Aid Measures

Description of first aid measures:	
General information	No special measures required.
After inhalation	Supply fresh air; consult doctor in case of complaints.
After skin contact	Rinse with water. Generally the product does not irritate the skin.
After eye contact	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
After swallowing	Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.
Information for doctor:	
Most important symptoms and effects, both acute and delayed	No further relevant information available.

Indication of any immediate medical attention and special treatment needed	No further relevant information available.
----------------------------------------------------------------------------	--------------------------------------------

#### Section 5: Fire Fighting Measures

Extinguishing media:	
Suitable extinguishing agents	The product is not flammable.
Special hazards arising from the substance or mixture	No further relevant information available.
Advice for firefighters:	
Protective equipment	No special measures required.

#### Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Not required.
Environmental precautions	No special measures required.
Methods and material for containment and cleaning up	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Reference to other sections	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### Section 7: Handling and Storage

Handling:	
Precautions for safe handling	Only adequately trained personnel should handle this product. For use in dentistry only.
Information about fire - and explosion protection	No special measures required.
Conditions for safe storage, including any incompatibilities:	
Storage:	
Requirements to be met by storerooms and receptacles	Store only in the original receptacle.
Information about storage in one common storage facility	Not required.
Further information about storage	Keep container tightly sealed.
Specific end use(s)	No further relevant information available.

#### Section 8: Exposure Controls/Personal Protection

Additional information about design of technical facilities	No further data; see item 7.
Control parameters:	
Ingredients with limit values that require monitoring at the workplace	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information	The lists valid during the making were used as basis.
Exposure controls:	
Personal protective equipment:	
General protective and hygienic measures	Usual hygienic measures for dental practice. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed.
Respiratory protection:	Not required.

Protection of hands	The glove material has to be impermeable and resistant to the product/the substance/the preparation. Due to missing tests no recommendation to the glove material can be given for the product/the preparation/the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
Material of gloves:	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and therefore has to be checked prior to the application.
Penetration time of glove material	The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye protection	Safety glasses.

### Section 9: Physical and Chemical Properties

Information on basic physical and chemical properties:

General Information:

Appearance:

Form	Fluid
Colour	Colourless
Odour	Nearly odourless
Odour threshold	Not determined
pH-value	Not determined

Change in condition:

Melting point/Melting range	Undetermined
Boiling point/Boiling range	100° C
Flash point	Not applicable
Flammability (solid, gaseous)	Not applicable
Self-igniting	Product is not self igniting
Danger of explosion	Product does not present an explosion hazard

Explosion limits:

Lower	Not determined
Upper	Not determined

Vapour pressure at 20° C

23 hPa

Density at 20° C

1 g/cm<sup>3</sup>

Relative density

Not determined

Vapour density

Not determined

Evaporation rate

Not determined

Solubility in/Miscibility with water

Fully miscible

Segregation coefficient (n-octanol/water)

Not determined

Viscosity:

Dynamic	Not determined
Kinematic	Not determined
Other information	No further relevant information available

#### Section 10: Stability and Reactivity

Reactivity	No further relevant information available.
Chemical stability	Stable under normal handling and storage conditions.
Thermal decomposition / conditions to be avoided	No decomposition if used according to specifications.
Possibility of hazardous reactions	No dangerous reactions known.
Conditions to avoid	No further relevant information available.
Incompatible materials	No further relevant information available.
Hazardous decomposition products	None under normal conditions of storage and use.

#### Section 11: Toxicological Information

Information on toxicological effects:

Acute toxicity:

Primary irritant effect:

On the skin No irritant effect.

On the eye No irritating effect.

Sensitization No sensitizing effects known.

Additional toxicological information: The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

#### Section 12: Ecological Information

Toxicity:

Aquatic toxicity No further relevant information available.

Persistence and degradability No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes Generally not hazardous for water.

Results of PBT and vPvB assessment:

PBT Not applicable.

vPvB Not applicable.

Other adverse effects No further relevant information available.

#### Section 13: Disposal Considerations

Waste treatment methods:

Recommendation Smaller quantities can be disposed of with household waste. Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

Uncleaned packaging:

Recommendation Disposal must be made according to official regulations.

Recommended cleansing agents	Water, if necessary together with cleansing agents.
------------------------------	-----------------------------------------------------

#### Section 14: Transport Information

This product is not a Dangerous Good for Road and Rail transport in New Zealand according to NZS 5433 Safe Transport of Dangerous Goods.

#### Section 15: Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

National regulations:

Other regulations, limitations and prohibitive regulations	The product is a medical device according to the EC-directive 93/42/EEC.
------------------------------------------------------------	--------------------------------------------------------------------------

Chemical safety assessment	A Chemical Safety Assessment has not been carried out.
----------------------------	--------------------------------------------------------

#### Section 16: Other Information

This document has been compiled by Ivoclar Vivadent Ltd on behalf of the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to Ivoclar Vivadent (NZ) Ltd by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While Ivoclar Vivadent (NZ) Ltd has taken all care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Ivoclar Vivadent (NZ) Ltd accepts no liability or any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS. The information herein is given in good faith, but no warranty, express or implied is made.

Issue date: 16 November 2011

Date Ivoclar Vivadent Ltd prepared: 17 September 2014

Review date: 16 November 2016