

Safety Data Sheet

Section 1: Identification of the material and the Supplier

Product identifier	IPS Object Fix Putty / Flow
Product use	Auxiliary firing paste for dental technology
Distributor information	
Company identification	Ivoclar Vivadent (NZ) Ltd
Address	12 Omega Street, Rosedale, Auckland, New Zealand
Telephone Number	0508 486 252
Emergencies within New Zealand	0800 764 766 (National Poison Control Centre)

Section 2: Hazards Identification

Classification of the substance or mixture:	
Classification according to directive 67/548/EEC or Directive 1999/45/EC	Not applicable.
Classification system	The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
Label elements:	
Labelling according to EU guidelines:	
Special labelling of certain preparations	Safety data sheet available for professional user on request.
Other hazards:	
Results of PBT and vPvB assessment:	
PBT	Not applicable.
vPvB	Not applicable.

Section 3: Composition/Information on Ingredients

Chemical characterization	Mixtures.
Composition	Oxides, water, thickening agent.
Description	Mixture of substances listed below with non-hazardous additions.
Dangerous components	Void.

Section 4: First Aid Measures

Description of first aid measures:	
General information	No special measures required.
After inhalation	Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation.
After skin contact	Rinse with water. Generally the product does not irritate the skin.
After eye contact	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
After swallowing	Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.
Information for doctor:	
Most important symptoms and effects, both acute and delayed	No further relevant information available.

Indication of any immediate medical attention and special treatment needed	No further relevant information available.
--	--

Section 5: Fire Fighting Measures

Extinguishing media:	
Suitable extinguishing agents	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. The product is not flammable.
Special hazards arising from the substance or mixture	No further relevant information available.
Advice for firefighters:	
Protective equipment	No special measures required.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Not required.
Environmental precautions	Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up	Pick up mechanically.
Reference to other sections	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Section 7: Handling and Storage

Handling:	
Precautions for safe handling	Only adequately trained personnel should handle this product. For use in dentistry only.
Information about fire - and explosion protection	No special measures required.
Conditions for safe storage, including any incompatibilities:	
Storage:	
Requirements to be met by storerooms and receptacles	Store only in the original receptacle.
Information about storage in one common storage facility	Not required.
Further information about storage conditions:	This product is hygroscopic. Keep container tightly sealed. Protect from heat and direct sunlight.
Specific end use(s)	No further relevant information available.

Section 8: Exposure Controls/Personal Protection

Additional information about design of technical facilities	No further data; see item 7.
Control parameters:	
Ingredients with limit values that require monitoring at the workplace	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information	The lists valid during the making were used as basis.
Exposure controls:	
Personal protective equipment:	
General protective and hygienic measures	Usual hygienic measures for dental practice. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed.

Section 10: Stability and Reactivity

Reactivity	No further relevant information available.
Chemical stability	Stable under normal handling and storage conditions.
Thermal decomposition/conditions to be avoided	No decomposition if used according to specifications.
Possibility of hazardous reactions	No dangerous reactions known.
Conditions to avoid	Keep away from heat and direct sunlight.
Incompatible materials	No further relevant information available.
Hazardous decomposition products	None under normal conditions of storage and use.

Section 11: Toxicological Information

Information on toxicological effects:	
Acute toxicity:	
Primary irritant effect:	
On the skin	No irritant effect.
On the eye	No irritating effect.
Sensitization	No sensitizing effects known.
Additional toxicological information	The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

Section 12: Ecological Information

Toxicity:	
Aquatic toxicity	No further relevant information available.
Persistence and degradability	No further relevant information available.
Behaviour in environmental systems:	
Bio accumulative potential	No further relevant information available.
Mobility in soil	No further relevant information available.
Additional ecological information:	
General notes	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Results of PBT and vPvB assessment:	
PBT	Not applicable.
vPvB	Not applicable.
Other adverse effects	No further relevant information available.

Section 13: Disposal Considerations

Waste treatment methods:	
Recommendation	Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.
Uncleaned packaging:	
Recommendation	Disposal must be made according to official regulations.

Section 14: Transport Information

This product is not a Dangerous Good for Road and Rail transport in New Zealand according to NZS 5433 Safe Transport of Dangerous Goods.

Section 15: Regulatory Information

Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

Section 16: Other Information

This document has been compiled by Ivoclar Vivadent Ltd on behalf of the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to Ivoclar Vivadent (NZ) Ltd by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While Ivoclar Vivadent (NZ) Ltd has taken all care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Ivoclar Vivadent (NZ) Ltd accepts no liability or any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS. The information herein is given in good faith, but no warranty, express or implied is made.

Issue date: 10 January 2013

Date Ivoclar Vivadent Ltd prepared: 22 May 2014

Review date: 10 January 2018